

#1, 3614—67 street
Ponoka, AB T4J 1J8

Phone: (403) 783-2220
Fax: (403) 783-8828
website@darcysdrilling.com

Constant Pressure System Grundfos


Over-pumping of your water well can be harmful to your well. At Darcy's Drilling Services Ltd. we will ensure that your pump is set at the optimal depth and that the size does not promote over-pumping.


A Grundfos Constant Pressure system is designed to meet the demand for water even when every member is using water at the same time!

The SmartFlo systems in brief

- Constant water pressure from 40 to 100 psi
- Complete systems
- Pump sizes from 0.5 to 5 Hp
- Rated flows up to 75 gpm
- Small tank – 2 or 4 gal. min.
- Reliable performance
- Easy installation
- Compact design
- UL Approved

SmartFlo performance range: 0.5 to 5 Hp





#1, 3614—67 street
Ponoka, AB T4J 1J8

Phone: (403) 783-2220
Fax: (403) 783-8828
website@darcysdrilling.com

Constant Pressure System

Grundfos

Pump reliability is ensured through:

Soft start

No electrical stress on service mains – no in-rush current extends motor life.

Overload, Over/under voltage protection

Pump motors are protected against irregular voltages or excessive currents – the protection feature reduces speed or stops the pump as necessary.

Dry-running protection

Pumps are stopped to prevent damage in case of dry running.

Durable design

The SQE and SP products are designed for a long and trouble free lifetime – Visit the Grundfos website for details.




8 LT Stainless Steel Pressure Tank

3" SQE Pump



CU301 Controller



#1, 3614—67 street
Ponoka, AB T4J 1J8

Phone: (403) 783-2220

Fax: (403) 783-8828

website@darcysdrilling.com

Constant Pressure System

Grundfos

